Catalogue



SOLAR LIGHTING, RECREATIONAL AND SECURITY PRODUCTS CATALOGUE

| SOLAR OUTDOOR LIGHTING AND SECURITY RANGE | PAGE |
|--|-----------|
| Solar Security Flood Lights (Premium Range) | 1 |
| Solar Security Flood Lights (Economy Range) | 2 |
| Solar Security Flood Lights (With Wi-fi Camera) | 3 |
| Solar UFO Flood Light | 4 |
| Solar Security Flood Lights With A Motion Sensor | 5 |
| Solar Yard Lights | 6 |
| Solar Street Lights (with Separate Solar Panel) | 7 |
| Solar Street Lights | 8 |
| Solar Bollard Lights | 9 |
| Solar Garden Lights | 10 |
| Solar Wall Lights | 11 |
| Solar Fairy Lights | 12 |
| Solar Bullet Wi- fi Camera | 13 |
| Solar Alarm | 14 |
| SOLAR INDOOR LIGHTING AND RECREATIONAL RANGE | |
| Solar LED Batten Light Kitt | 15 |
| Solar Lanterns | 16 |
| Solar Portable Mobile Generators (New) | 17 |
| Solar Portable Mobile Generators (Old) | 18 |
| Solar Power Systems (Heavy Duty Generators) | 19 |
| Solar Fan | 20 |
| Solar Battery Banks | 21 |
| Solar Work Lights | 22 |
| Solar Roofing Sheet Kit | 23 |
| IN-STORE ADVERTISING MERCHANDISING | |
| Solarfirst Display Stand Promotion | 24 |
| Solarfirst Shelving Stand Promotion | 25 |
| Premium vs Economy Range Flood Lights Comparison Chart | <i>26</i> |
| | |

Muranda Mambo (PTY Ltd)
Unit 35, Graphite Industrial Park
Fabriek Street, Strydom Park
Randburg Johannesburg
www.murandamambo.com



Solar Security Flood Lights (Premium Range)

With Day Night Sensor & Remote Control **DETACHABLE Glass & Battery Indicator**

IDEAL FOR HOUSE, COURT YARD, STORAGE GARAGE, HOTEL, FARM OR BASEMENT

SF001 (10W)





SF002 (25W)





SF003 (40W)





SF004 (60W)





SF005 (100W)





SF007 (200W)





SF008 (300W)





Product Features (App)

- 10W / 1000 Lumens Light Intensity
- 8W Solar panel
- 4000mAh Battery (Li-ion)
- Alluminium Alloy Body
- IP67 Rated
- 10+ Hours Discharge Time •
- 25W / 2500 Lumens **Light Intensity**
- 12W Solar panel
- 8000mAh Battery (Li-ion)
- Alluminium Alloy Body
- **IP67 Rated**
 - DETACHABLE Glass For Easy Battery Changing
 - **Battery Indicator**

Product Features(App) Product Features(App) Product Features (App) Product Features(App)

- 40W / 4000 Lumens **Light Intensity**
- 16W Solar panel
- 12000mAh Battery (Li-ion)
- Alluminium Alloy Body
- IP67 Rated
- DETACHABLE Glass For Easy Battery Changing
- Battery Indicator
- 10+ Hours Discharge Time
 10+ Hours Discharge Time

- 60W / 6000 Lumens **Light Intensity**
- 20W Solar panel
- 16000mAh Battery (Li-ion)
- Alluminium Alloy Body
- IP67 Rated
- Easy Battery Changing
- **Battery Indicator**
- 10+ Hours Discharge Time •

- 100W / 10000 Lumens Light Intensity
- 35W Solar panel
- 20000mAh Battery (Li-ion)
- Alluminium Alloy Body
- IP67 Rated
- DETACHABLE Glass For DETACHABLE Glass For Easy Battery Changing
 - **Battery Indicator**

- 200W / 20000 Lumens Light Intensity
- 45W Solar panel
- 40000mAh Battery (Li-ion)
- Alluminium Alloy Body
- IP67 Rated
- Easy Battery Changing
- Battery Indicator
- 10+ Hours Discharge Time 10+ Hours Discharge Time 10+ Hours Discharge Time

- 300W / 30000 Lumens **Light Intensity**
- 55W Solar panel

Product Features(App) Product Features (App)

- 50000mAh Battery (Li-ion)
- Alluminium Alloy Body
- IP67 Rated
- DETACHABLE Glass For DETACHABLE Glass For Easy Battery Changing
 - **Battery Indicator**

10+ Hours Discharge Time

Warranty:



Solar Security Flood Lights (Economy Range)

(With DETACHABLE Glass, Day Night Sensor & Remote Control)

IDEAL FOR HOUSE, COURT YARD, STORAGE, GARAGE, HOTEL, FARM OR BASEMENT

SF001A (10W)





SF002A (25W)





SF003A (40W)





SF004A (60W)





SF005A (100W)





SF007A (200W)





SF008A (300W)





Product Features(App) Product Features(App)

- 10W / 800 Lumens Light Intensity
- 4W Solar panel
- 3000mAh Battery (LifePO4)
- Alluminium Alloy Body
- IP66 Rated
- 10+ Hours Discharge Time
- DETACHABLE Glass For Easy Battery Changing

- 25W / 2000 Lumens Light Intensity
- 5W Solar panel
- 5000mAh Battery (LifePO4)
- Alluminium Alloy Body
- IP66 Rated
- 10+ Hours Discharge Time
- DETACHABLE Glass For Easy Battery Changing

- 40W / 3200 Lumens Light Intensity
- 10W Solar panel
- 6000mAh Battery (LifePO4)
- Alluminium Alloy Body
- IP66 Rated
- 10+ Hours Discharge Time •
- DETACHABLE Glass For Easy Battery Changing

- 60W / 4800 Lumens Light Intensity
- 15W Solar panel
- 9000mAh Battery (LifePO4)
- Alluminium Alloy Body
- IP66 Rated
- 10+ Hours Discharge Time
- DETACHABLE Glass For Easy Battery Changing

- 100W / 8000 Lumens Light Intensity
- 20W Solar panel
- 12000mAh Battery (LifePO4)
- Alluminium Alloy Body
- IP66 Rated
- 10+ Hours Discharge Time •
- DETACHABLE Glass For Easy Battery Changing

- 200W / 16000 Lumens Light Intensity
- 25W Solar panel
- 15000mAh Battery (LifePO4)
- Alluminium Alloy Body
- IP66 Rated
- 10+ Hours Discharge Time
- DETACHABLE Glass For Easy Battery Changing

- 300W / 24000 Lumens Light Intensity
- 30W Solar panel
- 18000mAh Battery (LifePO4)
- Alluminium Alloy Body
- IP66 Rated
- 10+ Hours Discharge Time
- DETACHABLE Glass For Easy Battery Changing

Warranty:



IDEAL FOR HOUSE, COURT YARD, STORAGE, GARAGE, HOTEL, FARM OR BASEMENT

SF005C (100W)

SF007C (200W)

SF008C (300W)

SF009C (400W)









Product Features (App)

- 100W / 10000 Lumens **Light Intensity**
- 20W Solar panel
- 12000mAh Battery (LifePO4)
- Alluminium Alloy Body
- Multiple Viewing Mode
- 10+ Hours Discharge Time
- 1080P HD Video Recording with full colour night vision
- Mobile Detection And Alarm
- SD Card And Cloud Storage
- Replaceable Battery

Product Features(App)

- 200W / 20000 Lumens Light Intensity
- 28W Solar panel
- 24000mAh Batterv (LifePO4)
- Alluminium Alloy Body
- Multiple Viewing Mode
- 10+ Hours Discharge Time
- 1080P HD Video Recording with full colour night vision
- Mobile Detection And Alarm
- SD Card And Cloud Storage
- Replaceable Battery

Product Features (App)

- 300W / 30000 Lumens **Light Intensity**
- 35W Solar panel
- 30000mAh Battery (LifePO4)
- Alluminium Alloy Body
- Multiple Viewing Mode
- 10+ Hours Discharge Time
- 1080P HD Video Recording with full colour night vision
- Mobile Detection And Alarm
- SD Card And Cloud Storage
 - Replaceable Battery

Product Features(App)

- 400W / 40000 Lumens **Light Intensity**
- 40W Solar panel
- 42000mAh Battery (LifePO4)
- Alluminium Alloy Body
- Multiple Viewing Mode
- 10+ Hours Discharge Time
- 1080P HD Video Recording with full colour night vision
- Mobile Detection And Alarm
- SD Card And Cloud Storage
- Replaceable Battery



Light Fitting (1 Year) | Solar Panel (3 Year)



Solar UFO Flood Lights With Motion Sensor

SF UFO 1 (120W)



SF UFO 2 (200W)



Spec Sheet

Light Intensity : 120 W

LED Lamp : 120 pcs (SMD LED 6500K)
Solar Panel : 6V 18 W, Polycrystalline

Batery Type : Lithium-Ion 3.2 V 18 AH

Charging Time : 6-8 hours
Discharge Time : 10+ hours

Lamp Size : 622 *260 *90mm
Panel Size : 900 *890 *25 mm

Material : ABS Installation Height : + -5m

Spec Sheet

Light Intensity : 200 W

LED Lamp : 400 pcs (SMD LED 6500K)

Solar Panel : 6 V 22 W, Polycrystalline

Batery Type : Lithium-Ion 3.2 V 20 AH

Charging Time : 6-8 hours
Discharge Time : 10+ hours

Lamp Size : 670 *570 *570mm

Panel Size : TBA
Material : ABS

Installation Height : + -5m

This Light Is Sensor Based And Dims Down To Approximately 50% When There Is No Movement



Solar Flood Lights With Built-In Motion Sensor

SF501 (8W)



SF500 (10W)



SF502 (1000 Lumens)

DUAL HEAD VERSION



Product Features

- 8W / 800Lumens Light Intensity
- 2W Solar panel
- IP 65 Rated Weather Proof
- Discharge time: 10+ Hours
- 2000mAh Battery (Li-ion)
- Charging time: 8 hours
- Motion sensor

Product Features

- 10W / 900 Lumens Light Intensity
- 5W Solar panel
- Beam Angle: 120°
- Life Span: 50, 000 Hours
- Ultra-high brightness
- High color-rendering index

Product Features

- 1000 Lumens Light Intensity (App)
- Built In Motion Sensor (6-8m range)
- SMD 2835 LED, 56PCS
- 1500mAh 3.7V Li-ion Battery
- 6V Amorphous Solar Panel
- ABS Plastic Material
- Light Size : 16.4 x 11.9 x 19.3 CM
- Solar Panel Size : 19.2 x 5.1 x 20 CM

Device can be installed either on a wall or on a pole and is ideal for Garages, House Entrance, Driveways, Pathways, Gardens, Patio, Park.



IDEAL FOR ENTRANCE OF HOUSE, DRIVEWAYS, GARDENS, GARAGES, PATIO, PARK

SF100 (10W)



SF101 (20W)



SF102 (40W)



SF103 (60W)





Product Features

- 10W / 850 Lumens Light Intensity
- 8W Solar panel
- 6000mAh Battery (Li-ion)
- **IP65 Weather Proof**
- ABS Housing + Die Cast Aluminium
- Day and Night Sensor
- Bracket Included
- Currently available ONLY IN WHITE

Product Features

- 20W / 1500 Lumens Light Intensity
- 10W Solar panel
- 9000mAh Battery (Li-ion)
- **ABS Housing**
- **IP65 Weather Proof**
- Day and Night Sensor + Motion Sensor

Product Features

- 40W / 3000 Lumens Light Intensity
- 15W Solar panel
- 12000mAh Battery (Li-ion)
- **ABS Housing**
- **IP65 Weather Proof**
- Day and Night Sensor + Motion Sensor

Product Features

- 60W / 4500 Lumens Light Intensity
- 20W Solar panel
- 14000mAh Battery (Li-ion)
- **ABS Housing**
- **IP65 Weather Proof**
- Day and Night Sensor + Motion Sensor

Warranty:

1 Year

Solar irst™ Street Lights with seperate solar panels







SF 105 60 W

Features

- 60W/6 000Lm Light Intensity
- 22W Solar Panel
- 19 000mAh Battery (Li-ion)
- IP65 Weather Proof
- Aluminium Alloy Body
- 110m² Illuminated Area

SF 106 100W

Features

- 100W/10 000Lm Light Intensity
- 36W Solar Panel
- 30 000mAh Battery (Li-ion)
- IP65 Weather Proof
- Aluminium Alloy Body
- 150m² Illuminated Area

SF 107 200W

Features

- 200W/20 000Lm Light Intensity
- 46W Solar Panel
- 48 000mAh Battery (Li-ion)
- IP65 Weather Proof
- Aluminium Alloy Body
- 400m² Illuminated Area

(Bracket Included) Warranty: 1 year

Solar frst[™] | Street Lights

SF201 (50W)



SF202 (100W)



SF203 (150W)



Features

| L | w | Н |
|------|------|-------|
| 68cm | 32cm | 5.5cm |

- Rated A Energy Efficient
- **Aluminium Alloy**
- Wireless Remote Control
- Intelligent Light Control
- Adjustable Fitting
- Slim and Comapct
- 1 year warrant

Technical Specifications

Battery Size 10000mAh **Panel Size** 20W **Light Time**

Features

| L | w | н |
|------|------|--------|
| 87cm | 42cm | 2.85cm |

- Rated A Energy Efficient
- **Aluminium Alloy**
- Wireless Remote Control
- Intelligent Light Control
- Adjustable Fitting
- Slim and Comapct
- 1 year warrant

Technical Specifications

Battery Size 20000mAh **Panel Size** 35W **Light Time**

Features

| L | w | Н |
|-------|--------|-------|
| 107cm | 32.5cm | 2.8cm |

- Rated A Energy Efficient
- Aluminium Alloy
- Wireless Remote Control
- Intelligent Light Control
- Adjustable Fitting
- Slim and Comapct
- 1 year warrant

Technical Specifications

Battery Size 30000mAh **Panel Size** 45W **Light Time**



Solar LED Bollard Lights

Vandal, Weather (Hail) and Rust Proof











yourself

maintenance



Simple & low install cost



brightness



Clear & green energy



Please Note That The Bollards Are Not Supplied In Pairs, But Come In Two Separate Colours

| S | F901 |
|--------------------|------------------------------|
| Housing Material | Polycarbonate + aluminium |
| Height | 60cm |
| LED Source | 2.5W SMD5050 51pcs |
| Luminous Flux | >400lm (cool /warm white) |
| LED CHIP | 3000K + 6000K O |
| Control Method | Press button to change color |
| Remote Control | NO |
| Solar Panel | 6.2W 5V |
| Battery Capacity | 3.2V 12AH |
| Charging Time | 5 hours |
| Discharging Time | >24 hours |
| Working Temp. | -15°C ~ +70°C |
| Enclosure Material | IP65 + IK10 |
| Colours | Gray & Black |

| 9 | F901 A |
|--------------------|------------------------------|
| Housing Material | Polycarbonate + aluminium |
| Height | 60cm |
| LED Source | 2.5W SMD5050 51pcs |
| Luminous Flux | >400lm (cool /warm white) |
| LED CHIP | 3000K + 6000K 🔾 🛑 |
| Control Method | Press button to change color |
| Remote Control | NO |
| Solar Panel | 6.2W 5V |
| Battery Capacity | 3.2V 12AH |
| Charging Time | 5 hours |
| Discharging Time | >24 hours |
| Working Temp. | -15°C ~ +70°C |
| Enclosure Material | IP65 + IK10 |
| Colours | Gray & Black |
| | |



Solar Garden Lights

SFGLOO1 (400 LUMENS)

SFGL0029 (600 LUMENS)





Product Features

Light Intensity

Panel Size

Battery Size

Charging Time

Discharging Time

Material

Light Colour Modes

400 Lumens

2W

2000mAh Li-ion

6H

8H+

ABS Plastic

White and Yellow





Product Features

Light Intensity

Panel Size

Battery Size

Charging Time

Discharging Time

Material

Light Size

600 Lumens

3W

2000mAh Li-ion

6H

8H+

Plastic + Alluminium

20cm



IDEAL FOR ENTRANCE OF HOUSE, DRIVEWAYS, GARDENS, GARAGES, PATIO, PARK

SF400 (3W)



SF401 (5W)



SF401B (6W)



SF402 (8W)



SF104 (20W)



Product Features

- 3W / 225 Lumens Light Intensity
- 1W Solar panel
- 1000mAh Battery (Li-ion)
- IP65 Weather Proof

Product Features

- 5W / 375 Lumens Light Intensity
- 2W Solar panel
- 2000mAh Battery (Li-ion)
- IP65 Weather Proof

Product Features

- 6W / 450 Lumens Light Intensity
- 2W Solar panel
- 2000mAh Battery (Li-ion)
- IP65 Weather Proof

Product Features

- 8W / 600 Lumens Light Intensity
- 2,5W Solar panel
- 3000mAh Battery (Li-ion)
- IP65 Weather Proof

Product Features

- 20W / 1500 Lumens Light Intensity
- 8W Solar panel
- 8000mAh Battery (Li-ion)
- IP65 Weather Proof

Warranty:

1 Year

www.murandamambo.com



Solar Fairy Lights

SFFL01W (100 LEDs Warm White)





Product Features

- Light Intensity
- Colour Temperature
- Panel Size
- Battery Size
- Charging Time
- Discharging Time
- Material
- Length
- Light Modes

100 LEDs (0.06W Each LED)

0.95K (Warm White) 0.5W (App)

1000mAh Li-ion (App)

6H

8H+

Plastic Strips

10 Meters

8 Modes (1 Colour)

SFFL01RGB (100 LEDs Multi Colour)





Product Features

- Light Intensity
- Colour Temperature
- Panel Size
- Battery Size
- Charging Time
- Discharging Time
- Material
- Length
- Light Modes

100 LEDs (0.06W Each LED)

Red / Green / Blue / Yellow

0.5W

1000mAh Li-ion (App)

6H

8H+

Plastic Strips

10 Meters

2 Modes (Multi Colour)

Solarfirst™

SOLAR BULLET WIFI CAMERA SFC001

WITH MULTIPLE VIEWING MODE



Product Features



Built-in Solar Panel



HD 1080P



3.6 mm Lens with Infrared Night Vision



12800mAh Lion Batteries



Dual Power Supply



Long Standby



Audio & Video Recording



Push Information



4G WiFi Support



Remote Monitoring



Cloud & 64GB SD Storage Support



Easy Installation

Warranty: 1 Year

www.murandamambo.com



SFSA01

Specification Sheet

Voltage: 1.2V

Sensing Distance: 5-8M on 110 Degree Angle

Sound Projection: 110db

Working Time: Upto 50 Hours Per Charge

Battery: 3.7V 400mAh Li-ion

Solar Panel: 0.5W

Changing Source: Solar and Electric (DC & AC)

IP Rating: 65 Weather Proof







Solar LED Batten Light Kitt (With Motion Sensor)

SFBLK 001

Specification Sheet

Item Number SFBLK 001 LED Power 12W Luminous flux(lm) >1,500lm **Color Temperature** 6000K

Light Dimensions 360*65*80mm **Solar Panel 10W 6V MONO Batery** 3.7V 8000Mah

ousing Material Polycarbonate + Aluminium

USB output 5V 0.5A **Remote Control** Yes **Charging Time** 6 Hours **Discharging Time** >20 Hours

Working Temp. -15°C ~ +70°C Connec 5 meters

IP Ra 65



Remote Control

Wall Switch









Flexible Mounting Bracket



Built In Phone Charger



Applica

1 YEAR WARRANTY











Solar Lanterns

SF601

Solar Lantern With Phone Charger



SF601A

Solar Lantern with Built-In Extra Torch and Phone Charger



SF602

Solar LanternWith FM Radio, Mp3 Player & USB Phone Charger



8W / 800Lumens Light intensity

1.5W Solar panel

Discharge time: 10+ Hours

2000mAh Battery (Li-ion)

Charging time: 8 hours Built In Phone Charger

Features

- 8W / 800Lumens Light intensity
- 1.5W Solar panel
- Discharge time: 10+ Hours
- 1500mAh Battery (Li-ion)
- Charging time: 8 hours
- Built In Phone Charger
- 2 Light sources (top and bottom)

Features

- 5 Light settings
- 1000 Lm Light Intensity
- 1.5W Solar Panel
- FM Radio & Mp3 Player
- Built in Phone Charger
- Charge Time: 8 hrs Discharge: + 10hrs
- 4000 mAh Battery & 240V Charger Included

Warranty: 1 Year

16

Solar first™

Portable Mobile Solar Generators (New)

HARNESS THE POWER OF THE SUN

SF301A (19W)



SF303A (23W)



SF303A+ (23W)

(With BLUETOOTH Speaker, Li-ion Battery + Built In Detachable Solar Panel)



Features

- 19W Combined Light Output
- Two Built In LED lights (10W)
- 3x3W/6V Separate lamps with 3M cable
- 3AH/6V Lead Acid Battey
- 3W Solar Panel
- Mobile Phone Charger
- 220/240V AC Charger
- 12 Hours Discharge Time (Subject to load)

- 23W Combined Light Output
- **Built In 8PCS LED lights**

- Input, MP3 player
- **3W Solar Panel**
- 220/240V AC Charger
- 12 Hours Discharge Time (Subject to load)

Features

- 3x3W/6V Separate lamps with 3M cable
- Built In Speaker, FM radio, USB
- 3AH/9V Lead Acid Battey
- Mobile Phone Charger

Features

- 23W Combined Light Output
- BLUETOOTH Speaker, FM Radio, USB Input, Mp3 Player
- 3x3W/6V Separate lamps with 3M cable
- 1500mAh Li-ion Battery
- 2W Solar Panel
- Mobile Phone Charger
- 220/240V AC Charger
 - 12 Hours Discharge Time (Subject to load)

www.murandamambo.com

1 YEAR WARRANTY



Portable Mobile Solar Generators

HARNESS THE POWER OF THE SUN

SF301 (17W)



SF302 (19W)



SF303 (21W)



Product Features

- 8 Watt Built in Light (In Total)
- 3.5 W Solar panel
- 3000mAh Battery
- 3 x 3 Watt bulbs with 5 meter cables
- AC 220-240V
- 12 Hour Discharge Time
- Mobile Phone Charging

Product Features

- 10 Watt Build in Light (In Total)
- 3.5 Watt panel
- 3500 mAh Battery
- 3 x 3 Watt bulbs with 5 meter cables
- AC 220-240V
- 15 Hour Discharge Time
- Mobile Phone Charging

Product Features

- 12 Watt Built in Light (In Total)
- Built in FM Radio and mp3 player
- 3.5 Watt panel
- 4000 mAh Battery
- 3 x 3 Watt bulbs with 5 meter cables
- AC 220-240V
- 15 Hour Discharge Time
- Mobile Phone Charging

Warranty:

1 Year

SF801 (1000W)



SF801A (1000W)

WITH PURE SINE WAVE INVERTER + LifePO4 Battery



SF802 (1500W)



SF803 (2000W)



Product Features

Solar Panel: 100W 18V Gel Battery: 60AH 12V Charge Controller: 10A Inverter: 1000W Modified Sine Wave

DC lamp Port: 4 pcs, with 4pcs 3w12v LED lamp

Can be used for lighting (1 Globe average 240 hours), phone charging and some household appliance

Overload Protection

Product size: 400*187*383mm Solar panel size: 1030*666*30mm

Please note that you will need to open the top of the unit to connect the battery before use Please do not overload the system by connecting

appliances that exceed the inverter Wattage size

Product Features

- Solar Panel: 160W 56V Foldable
- Battery LifePO4 42V 18AH (750W) 80AH Gel Equivalent
- Controller: TBA
- **Inverter: 1000W Pure Sine Wave**
- Output: 12V / 5V / 220V
- DC Lamp port: 3pcs, with 3pcs 3w 12v LED lamp (2 Supplied)
- AC Plug points x2
- **USB Port: 4 pieces**
- Can be used for lighting (1 Globe average 320 hours), phone charging and some household appliance
- Overload Protection

NB: Please note that you will need to open the top of the unit to connect the battery before use NB: Please do not overload the system by connecting appliances that exceed the inverter Wattage size

Product Features

Solar Panel: 120W 18V

Gel Battery: 80AH 12V

Controller: 20A

Inverter: 1500W Modified Sine Wave

- DC lamp port: 4pcs, with 4pcs 3w12v LED lamp
- AC Plug points x2
- USB Port: 1 piece
- Can be used for lighting (1 Globe average 320 hours), phone charging and some household appliance
- Overload Protection
- Product size: 400*187*383mm
- Solar panel size: 1250*666*30mm

NB: Please note that you will need to open the top of the unit to connect the battery before use NB: Please do not overload the system by connecting appliances that exceed the inverter Wattage size

www.murandamambo.com

Product Features

- Solar Panel: 200W Monocrystaline
- Gel Battery: 100AH 12V
- Controller: 20A
- Inverter: 2000W Modified Sine Wave
- DC lamp port: 3pcs, with 3pcs 3w12v LED lamp
- AC Plug points x2
- USB Port: 3 Piece
- Can be used for lighting (1 Globe average 400 hours), phone charging and some household appliance
- Overload Protection
- Product size: 400*187*383mm
- Solar panel size: 1250*666*30mm

NB: Please note that you will need to open the top of the unit to connect the battery before use NB: Please do not overload the system by connecting appliances that exceed the inverter Wattage size

Warranty: 1 Year

DC lamp port: 4pcs, with 4pcs 3w12v LED lamp



SFF01 | Solar Rechargeable Fan

(with Built In Lighting and Phone Charging)



Product Features

- 12 inch oscillating fan
- 5V USB output for phone charging
- 2 bright external plug in LED lights
- Upto 10 hours working time
- 8 hours charging time (when charging using solar)
- 6V 4,5 mAh rechargeable lead acid battery
- AC/DC operated
- 3 Watt Solar panel
- 110-240V 50/60Hz Power Source

Warranty: 1 Year

Solar Battery Banks (With Built In Light

SF701 (5000mAh)



Product Features

1.2W Solar panel 5000mAh Battery (Standard Li-ion) 8 Hours Charging Time **Dual Smartphone Charging**

SF702 (13000mAh)



Product Features

- 1.5W Solar panel
- 13000mAh Battery (Standard Li-ion)
- 8 Hours Charging Time
- **Dual Smartphone Charging**

Warranty:

1 Year

Solar Work Lights

SFR001 (3W)



SFR002 (5W)



Product Features

- 3W / 300 Lumens Light Intensity
- 1W Solar panel
- 1000mAh Battery (Li-ion)

Product Features

- 5W / 500 Lumens Light Intensity
- 1,5W Solar panel
- 1200mAh Battery (Li-ion)

Warranty:

Light Fitting (1 Year) | Solar Panel (3 Year)

www.murandamambo.com

Solar Roofing Kit - 50W

Galvanised Steel Roofing Sheet Diy Kit (all In One) (ideal For Use With Lights, Tv, Fan, Radio, Phone Charging)



COMPONENTS

- Galvanised Steel Roofing Sheet
 Benefits:
 - Superior resistance to abrasion and water
 - Protection from Shrinking and Cracking
 - Easy installation (No need to buy additional roof mounting clamps)
- 50 Watt Panel
- Roofing Nails
- 10m Cable (Panel Charge Controller)
- 5 Amp Charge controller
- 2 12v LED lights
- 1 m Cable (Charge Controller-Battery)
- Battery Clamps
- Screw Driver
- Terminal Strip
- Cable Clips

NB:

Kit excludes Battery

MADE IN SOUTH AFRICA PATENTED





HARNESS THE POWER OF THE SUN

www.murandamambo.com



DISPLAY STAND PROMOTION



- Increase the visibility of our products in your store to maximise turnover by getting a stand like the one above at NO EXTRA COST FOR THE ACTUAL STAND!
- You only need to pay for the display samples at 27.5% DISCOUNT off normal price!
- Get the Custom Made Solarfirst Stand with the following lines on display!

| | Norma | l Cost | DISCOUNTED STAND PRICE |
|---------------------------------------|-------------------|--------|------------------------|
| 1 x SF001 (10 Watt Solar Flood Light) | | 399 | 289.27 |
| 1 x SF004 (60 Watt Solar Flood Light) | | 999 | 724.27 |
| 1 x SF400 (3 Watt Solar Wall Light) | | 99 | 71.77 |
| 1 x SF401 (5 Watt Solar Wall Light) | | 139 | 100.77 |
| ٦ | Total Normal Cost | 1636 | 1186.08 |
| TOTAL DISCOUNT ON ALL DISPLAY SAMP | PLES 27.5% | 449.9 | |
| YOU PAY ONLY | | 1186.0 | 8 ex Vat |
| COST FOR THE ACTUAL STAND | | | 0 |

PLEASE NOTE

- The stand size is **72cm Length** and **58cm Width**
- The stand is made of wood and is painted white
- The stand will come with wall screws/hangers in order to easily remove it from the wall to charge the samples
- The stand will come with the samples already fastened onto it for you (Ready Made)
- The panel will be connected to the lights via cable from the back



SHELVING STAND PROMOTION Order R7000 ex VAT And Get Shelf (See Below For Terms)



Merchandise your Solarfirst Lines properly with this amazing shelving stand Points to note

- Order R7000 ex Vat worth of stock on the Lighting, Recreation and Security Range and get the shelving unit at NO EXTRA COST
- The shelving stand is supplied with Solarfirst Banding that needs to stay on the shelving unit
- ONLY Solarfirst lines to be stocked on the shelf



SECURITY FLOOD LIGHTS COMPARISON SHEET

SF001-008 (PREMIUM RANGE) VS SF001A-SF007A (ECONOMY RANGE)

| PRODUCT FEATURE | SFOO1-SF008 (PREMIUM RANGE) | SF001A-SF007A (ECONOMY RANGE) |
|---------------------------|---|---|
| BATTERY TYPE | Li-ion (Higher Energy Density) | LifePo4 (Lower Energy Density) |
| HOUSING MATERIAL | Heavy Aluminium and Thick Glass | Light and Lighter Glass (App 35% less material) |
| LIGHTY INTENSITY | 1W = 100 Lumens | 1W = 80 Lumens |
| SOLAR PANEL SIZE | Higher Wattage Size | Lower Wattage Size |
| BATTERY SIZE | Higher AH size | Lower AH size |
| DISCHARGE TIME PER CHARGE | 10 + HOURS | 10 + HOURS |
| IP RATING | IP67 | IP66 |
| WARRANTY | Three Years on Panel, One Year on Fitting | Three Years on Panel, One Year on Fitting |
| | | |

NB: FOR A MORE DETAILED COMPARISON PLEASE REFER TO OUR PRICELIST OR PRODUCT SPEC SHEETS

BELOW ARE ILLUSTRATIONS OF BOTH THE PREMIUM AND ECONOMY 60W FLOOD LIGHTS

SF004 60W PREMIUM



SF004A 60W ECONOMY





THANK YOU FOR BROWSING OUR CATALOGUE FOR MORE INFORMATION PLEASE VISIT OUR WEBSITE

www.murandamambo.com

GOD BLESS YOU